



## Connecteur rond K1..00

### Caractéristiques du produit

- Jeux de câbles préconfectionnés avec extrémité ouverte
- Connecteur mâle M12 adapté à tous les détecteurs et connecteur en T avec connecteur rond 4 ou 8 pôles et filetage M12
- Indice de protection élevé
- Différentes longueurs de câble disponibles

### Dessin technique

PHOTO 1/6

K14.00.

female M12




PHOTO 2/6

# female M12



PHOTO 3/6






PHOTO 4/6

K18.00.

female M12




PHOTO 5/6

# female M12




PHOTO 6/6

1 ) ————— BN

2 ) ————— WH

3 ) ————— BU

4 ) ————— BK

5 ) ————— GY

6 ) ————— PK

7 ) ————— VT

8 ) ————— OG

## Options de produit

PHOTO 1/1

### ORDERING KEY

K14				Cable set 4-pin
	G			Sheath material PVC, black
	H			Sheath material PUR, black
		001		Cable length 1 m
		003		Cable length 3 m
		005		Cable length 5 m
		000		Cable length 10 m
			-	Metal coupling ring
			K	Plastic coupling ring (only with sheath material PVC, black)
				Other cable materials and cable lengths on request

K18				Cable set 8-pin
	G	001		Cable length 1 m
		003		Cable length 3 m
		005		Cable length 5 m
		000		Cable length 10 m
			K	Plastic coupling ring
				Other cable materials and cable lengths on request