



Connecteur rond K1..00

Caractéristiques du produit

- Jeux de câbles préconfectionnés avec extrémité ouverte
- Connecteur mâle M12 adapté à tous les détecteurs et connecteur en T avec connecteur rond 4 ou 8 pôles et filetage M12
- Indice de protection élevé
- Différentes longueurs de câble disponibles

Dessin technique

PHOTO 1/6

K14.00.

female M12




PHOTO 2/6

female M12



PHOTO 3/6






PHOTO 4/6

K18.00.

female M12




PHOTO 5/6

female M12




PHOTO 6/6

1) ————— BN

2) ————— WH

3) ————— BU

4) ————— BK

5) ————— GY

6) ————— PK

7) ————— VT

8) ————— OG

Options de produit

PHOTO 1/1

ORDERING KEY

K14				Cable set 4-pin
	G			Sheath material PVC, black
	H			Sheath material PUR, black
		001		Cable length 1 m
		003		Cable length 3 m
		005		Cable length 5 m
		000		Cable length 10 m
			-	Metal coupling ring
			K	Plastic coupling ring (only with sheath material PVC, black)
				Other cable materials and cable lengths on request

K18				Cable set 8-pin
	G	001		Cable length 1 m
		003		Cable length 3 m
		005		Cable length 5 m
		000		Cable length 10 m
			K	Plastic coupling ring
				Other cable materials and cable lengths on request