



Connecteur Deutsch DT 06-8S 4 pôles/8 pôles

Caractéristiques du produit

- Adapté aux capteurs de dévers N3/N4/N5

Dessin technique

PHOTO 1/3

L1HC00.B..






PHOTO 2/3


L1HC00.B

female AMP
Micro Quadlock



L1HC00.B4

female AMP
Micro Quadlock



L1HC00.B4A

female AMP
Micro Quadlock




PHOTO 3/3

L1HC00.B

1) ————— RD

2) ————— BN

3) ————— BU

4) ————— PK

5) ————— GN

6) ————— YE

7) ————— WH

8) ————— GY

L1HC00.B4

1) ————— BN

2) ————— BU

3) ————— BK

4) ————— GY

5) ————— nc

6) ————— nc

7) ————— nc

8) ————— nc

L1HC00.B4A

1) ————— BN

2) ————— BU

3) ————— nc

4) ————— nc

5) ————— BK

6) ————— GY

7) ————— nc

8) ————— nc

Options de produit

PHOTO 1/1

ORDERING KEY

| L1HC00 | | Deutsch connector DT 06-8S |
|--------|-----|--|
| | 1 | Cable length 1m \pm 30mm |
| | 3 | Cable length 3m \pm 40mm |
| | 5 | Cable length 5m \pm 60mm |
| | 0 | Cable length 10m \pm 80mm |
| | B | 8-pin |
| | B4 | 4-pin |
| | B4A | 4-pin |
| | | |
| | | Other cable materials and cable lengths on request |