



Atuador magnético 30079 Ø23x8mm


Especificação Técnica

- Para aplicação em sensores magnéticos
- Instalação simples
- Amplo range de temperatura
- Pode ser aplicado em condições ambientais severas devido ao revestimento em aço inoxidável


Desenho técnico

IMAGE 1/1


300790
300795




Pa6



300790V
300795V



1.4404



Product options

IMAGE 1/1

ORDERING KEY

3007			Oxide magnet with housing
	90		Magnetic field north – plastic housing
	90	V	Magnetic field north – stainless steel housing
	95		Magnetic field south – plastic housing
	95	V	Magnetic field south – stainless steel housing

Características do artigo

Attribute	300790	300790V	300795	300795V	ED300790	ED300790V ▶
Dimensions	Ø 23 / H=8				-	
Material	PA, hard ferrite	Stainless steel (1.4404), hard ferrite	PA, hard ferrite	Stainless steel (1.4404), hard ferrite	-	
Operating temperature min.	-20 °C				-	
Max. operating temperature	100 °C	80 °C	100 °C	80 °C	-	
Mounting type	Screw				-	

Attribute	ED300795	ED300795V
Dimensions	-	
Material	-	
Operating temperature min.	-	
Max. operating temperature	-	
Mounting type	-	